

WORKSAVER, INC.

P.O. BOX 100 LITCHFIELD, IL 62056-0100 (217) 324-5973 FAX (217) 324-3356
WEB: <http://www.worksaver.com> E-MAIL: sales@worksaver.com

Hydraulic Post Driver Return Line Fitting List

For Models

HPD-16	HPD-20	HPD-24 SHC
HPD-16 MFL	HPD-20 MFL	HPD-24 SWO
HPD-16 HFL	HPD-20 HFL	
HPD-16 SHC	HPD-20 SHC	
HPD-16 SWO	HPD-20 SWO	

To Various Tractor Makes and Models

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
AGCO-ALLIS				
Allis	D-15 II, D-17 II, D-17 IV	814560	W-12-R	
Allis	D-19, 190, 190XT	814560	W-12-R	
Allis	170, 175, 180, 185, 5050	814560	W-12-R	
Allis	170 & 180 Land Handler	None Req'd		
Allis	190 & 200 Land Handler	None Req'd		
Allis	210 & 220 Land Handler	None Req'd		
Agco-Allis	4650, 4660, 5045, 5050	814560	W-12-R	
Agco	ST30, 30X, ST35, 35X			1 x 3
Agco	ST22, 24, 28, 33, 34, 41, 47, 52, 55	None Req'd		
Agco	GT45, 55, 65, 75	None Req'd		
Agco	LT85, RT95, RT115, LT170			1 x 3
Agco-Allis	DX4.71, DX6.61			1 x 3
Agco	DT180, 200, 220, 225, 240	None Req'd		
Agco	RT100, 120, 130, 155	None Req'd		
Agco-Allis	5650, 5660, 5670, 5680			1 x 3
Agco-Allis	6140	814573	W-42-R	
Agco	6410, 6810			1 x 3
Agco-Allis	6060, 6070, 6080	814573	W-42-R	
Agco-Allis	6670, 6680, 6690			1 x 3
Agco-Allis	7000, 7010, 7020	None Req'd		
Agco-Allis	7030, 7040, 7050	None Req'd		
Agco-Allis	7045, 7060, 7080, 7580	None Req'd		
Agco-Allis	7600, 7630, 7650			1 x 3
Agco-Allis	8010, 8030, 8050, 8070	None Req'd		
Agco-Allis	8610, 8630			1 x 3
Agco-Allis	8745, 8785	814573	W-42-R	
Agco-Allis	8765, 8775			1 x 3
Agco-Allis	9130, 9150, 9170, 9190	None Req'd		
Agco-Allis	9435, 9455, 9630, 9635	None Req'd		
Agco-Allis	9650, 9655, 9670	None Req'd		
Agco-Allis	9675, 9690, 9695, 9815	None Req'd		
Agco-Allis	9735, 9745, 9755, 9765	None Req'd		

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

BELARUS

Belarus	420, 500, 520, 572, 611, 800, 820			1 1/4 x 3
Belarus	825, 925, 1025, 3011			1 1/4 x 3
Belarus	2045, 3045, 4055, 6345			1 1/4 x 3
Belarus	8011L, 8311, 8345, 9011L, 9311			1 1/4 x 3

WARNING: Belarus Tractors require special (additional) hydraulic control valve plumbing. Tractors have a very high relief valve pressure setting and this may cause hydraulic hose failure. **OPERATOR SAFETY IS AT RISK.** Ask for special instructions on Belarus tractor applications.

BRANSON

Branson	2810, 2910, 3510			None Req'd
Branson	3520, 3820, 4020, 4220			None Req'd
Branson	4520, 4720, 6530			None Req'd

CBT

CBT	8060, 8240, 8260			<10>
-----	------------------	--	--	------

CENTURY

Century	2035, 2045			None Req'd
Century	2028, 2535			None Req'd
Century	3045, 3040, 3045			None Req'd
Century	C29, C35, C38L			None Req'd
Century	C42L, C47L			None Req'd

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
CASE				
Case	300, 300UT, 411, 430, 431, 470			None Req'd
Case	500 IND, 600 IND			None Req'd
Case	400, 700, 800			None Req'd
Case	802, 840, 841			None Req'd
Case	530, 540, 630, 640	814567	W-29-R	
Case	730, 830, 930, 1030			None Req'd
Case	770, 870, 970, 1070, 1170, 1175			None Req'd
Case	1270, 1370, 1570			None Req'd
Case	1190, 1290, 1390, 1490			1 x 3
Case	1194, 1294, 1394, 1494, 1594			1 x 3
Case	1690			None Req'd
Case	2090, 2094, 2290, 2294, 2390			None Req'd
Case	2394, 2590, 2594, 3294, 3394			None Req'd

CASE-IH

Case-IH	385, 395, 485, 495			1 1/4 x 3
Case-IH	585, 595, 685, 695, 885			1 1/4 x 3
Case-IH	895, 995			1 x 3
Case-IH	3220, 3230			1 1/2 x 3
Case-IH	4210, 4230, 4240			1 1/2 x 3
Case-IH	1896, 2096			None Req'd
Case-IH	2130, 2140, 2150			1 x 3
Case-IH	4494, 4694, 4894, 4994			None Req'd
Case-IH	5120, 5130, 5140 (Maxxum)			None Req'd
Case-IH	5520, 5230, 5240, 5250 (Maxxum)			None Req'd
Case-IH	7110, 7120, 7130, 7140, 7150 (Maxxum)			None Req'd
Case-IH	7210, 7220, 7230, 7240, 7250			None Req'd
Case-IH	DX23, 25, 29, 33, 35, 40, 45, 55			None Req'd
Case-IH	C50, CX50			1 x 3 w/45°
Case-IH	C60, CX60, C70, CX70, C80, CX80			None Req'd
Case-IH	C90, CX90, L100, C100, CX100			None Req'd
Case-IH	JX55, 65, 75, 80U, 85, 90U, 95			None Req'd
Case-IH	JX100U, 1060C, 1070C, 1075C			None Req'd
Case-IH	JX1075N, 1085C, 1090U, 1085C, 1095C			None Req'd

(CASE-IH CONTINUED NEXT PAGE)

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

CASE-IH (CONTINUED)

Case-IH	8910, 8920, 8930, 8940, 8950	None	Req'd	
Case-IH	MX80C, MX90C, MX100, MX100C	None	Req'd	
Case-IH	MX110, MX120, MX135, MX150	None	Req'd	
Case-IH	MX170	None	Req'd	
Case-IH	MX180, MX200, MX210, MX200	None	Req'd	<9>
Case-IH	MX230, MX240, MX255, MX270	None	Req'd	<9>
Case-IH	MX120, MXM130, MXM140	None	Req'd	
Case-IH	MX155, MXM155, MXM175	None	Req'd	
Case-IH	MXM190	None	Req'd	
Case-IH	MXU100, MX110, MXU120	None	Req'd	
Case-IH	MXU125, MXU135	None	Req'd	

CHALLENGER

Challenger	MT225, MT225B, MT255, MT255B	None	Req'd	
Challenger	MT265, MT265B, MT275, MT275B	None	Req'd	
Challenger	MT285, MT285B, MT295, MT295B	None	Req'd	
Challenger	MT297	None	Req'd	
Challenger	MT400, MT425, MT445			1 x 3
Challenger	MT455			1 x 3 w/45°
Challenger	MT525B, MT535, MT535B	None	Req'd	
Challenger	MT545, MT545B, MT555B	None	Req'd	
Challenger	MT565, MT565B	None	Req'd	
Challenger	MT635, 645, 655, 665	None	Req'd	

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

CUB CADET

Cub Cadet	7260, 7265			1 x 2 w/90°
Cub Cadet	7300, 7305, 7360			1 x 2 w/90°
Cub Cadet	7195, 7235, 7272, 7275			1 x 2 w/90°

DAVID BROWN

David Brown	1210, 1212 (No O.R.P.)			1 x 3
David Brown	1410, 1412 (No O.R.P.)			1 x 3

DEUTZ-ALLIS

Deutz-Allis	6240, 6250, 6260, 6265, 6275	814570	W-45-R	
Deutz-Allis	7120, 7085	814570	W-45-R	
Deutz-Allis	9130, 9150, 9170, 9190	None Req'd		

Deutz	D-80-06, D-100-06, D-130-06	814569	W-38-R	
Deutz	D-3006, D-4006, D-4506, D-4507	814570	W-45-R	
Deutz	D-5206, D-5207, D-5506, D-6006	814570	W-45-R	
Deutz	D-9006, D-6206, D-6207, D-6507	814570	W-45-R	
Deutz	D-6806, D-6807, D-7006, D-7007	814570	W-45-R	
Deutz	D-7206, D-7207, D-7807	814570	W-45-R	
Deutz	DX-80, DX-90, DX-110, DX-120, DX-130	814570	W-45-R	
Deutz	DX-140, DX-160	814570	W-45-R	
Deutz	DX-4.70, DX-6.30, DX-6.50, DX-7.10	814570	W-45-R	

Deutz	DX 60, DX 70			1 x 2 w/90°
Deutz	AgroLux 60, 70, 80, 90			1 x 2 w/90°
Deutz	AgroTron 108, 118, 130, 165			1 x 3
Deutz	AgroKid 50	None Req'd		
Deutz	AgroPlus 75, 100	None Req'd		

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

EICHER

Eicher	364NC, 485			1 x 2 w/90°
--------	------------	--	--	-------------

FARM PRO

Farm Pro	2430, 4040		None Req'd	
Farm Pro	8240		None Req'd	

FENDT

Fendt	409, 410, 411, 412		None Req'd	
Fendt	712, 714, 716		None Req'd	
Fendt	918, 924, 926		None Req'd	

FORD

Ford	Fordson Dextra	814566	W-24-R	
Ford	2000, 3000, 4000, 6000, 7000	814566	W-24-R	
Ford	3550, 4400, 4500, 4000SU, 4100SU, 4600SU	814566	W-24-R	
Ford	8000, 8600, 9000, 9600	---		1 1/4 x 3
Ford	1700, 1710, 1900, 1910, 2600, 2610, 2810, 3610	814566	W-24-R	
Ford	1720, 1920, 2120, 3230, 3415		None Req'd	
Ford	2910, 3400, 3600, 3910, 4100, 4600, 4610	814566	W-24-R	
Ford	3430, 3830N, 3930		None Req'd	
Ford	4030N, 4130, 4230N, 4430N, 4630	814566	W-24-R	
Ford	5600, 6600, 7600, 7700	814566	W-24-R	
Ford	5030, 5530HC, 5640, 5900		None Req'd	
Ford	5610, 6610, 6710, 7610, 7710, 7810, 8210		None Req'd	
Ford	6530HC, 6640		None Req'd	
Ford	7530HC, 7740, 7840		None Req'd	
Ford	8160, 8240, 8260		None Req'd	
Ford	8340, 8360, 8460, 8530, 8560		None Req'd	
Ford	8630, 8670, 8700, 8730, 8770		None Req'd	
Ford	8830, 8870, 8970, 9700		None Req'd	
Ford	TW-10, TW-20, TW-30		None Req'd	
Ford	TW-5, TW-15, TW-25, TW-35		None Req'd	

(NOTE: ADDITIONAL LISTINGS UNDER NEW HOLLAND)

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

GOLDONI

Goldoni	26DT, 30DT			<10>
Goldoni	744, 764, 3050, 3070			<10>

HESSTON

Hesston	1180, 1180DT, 1380, 1380DT	814572	W-50-R	
Hesston	90-90, 100-90, 130-90, F110, F-130		None Req'd	
Hesston	466, 466DT, 566, 566DT, 586, 666	814574	W-46-R	
Hesston	680, 680DT, 780, 780DT, 880-5	814573	W-42-R	
Hesston	60-90, 65-46, 65-56, 60-76	814574	W-46-R	
Hesston	880-5DT, 980, 980DT	814573	W-42-R	
Hesston	45-66, 55-66, 60-66, 70-66, 80-66	814574	W-46-R	
Hesston	1580, 1580DT, 1880, 1880DT	814572	W-50-R	
Hesston	480-8, 480-8DT	814573	W-42-R	
Hesston	640, 640DT	814573	W-42-R	
Hesston	55-76, 666DT, 766, 766DT	814574	W-46-R	

HURLIMANN

Hurlimann	445, H305XF, H491F			<10>
-----------	--------------------	--	--	------

HUD-SON

Hud-Son	3544			None Req'd
---------	------	--	--	------------

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
INTERNATIONAL HARVESTER				
IH	H, M, MTA	<1>		
IH	300, 350, 400, 450	<10>		
IH	300UT, 330UT, 350UT, 606UT			1 1/4 x 3
IH	340UT, 460UT, 504UT	814566	W-24-R	
IH	544UT, 560UT, 660UT	<1>		
IH	460, 504, 560	<1>		
IH	706, 806, 1206, 2706, 2806	None Req'd		
IH	186, 664, 826, 1026	None Req'd		
IH	656, 666, 756, 856, 1056, 1256, 1456	None Req'd		
IH	766, 966, 1066, 1466, 1566	None Req'd		
IH	1468, 1568, 1586	None Req'd		
IH	686, 786, 886, 986, 1086, 1486	None Req'd		
IH	3388, 3588, 3788, 6388, 6588, 6788	None Req'd		
IH	3088, 3288, 3488, 3688	None Req'd		
IH	5088, 5288, 5488	None Req'd		
IH	354, 364, B-275, B414	814561	W-14-R	
IH	244, 254, 274, 384, 2504, 2606			1 x 3
IH	2404, 2424, 2444, 2544 IND. Models			1 1/4 x 3
IH	340, 404, 424, 444, 454, 464, 574, 664			1 1/4 x 3
IH	484, 584, 674, 684, 784, 884			1 1/4 x 3
IH	(Hydro) 84, 86, 70, 100	None Req'd		

(NOTE: OTHER MODELS LISTED UNDER CASE/IH)

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
JOHN DEERE				
JD	50, 60, 70	814561	W-14-R	
JD	40, 320, 330, 420, 430			1 x 3
JD	300IND, 301IND	814565	W-18-R	
JD	520, 530, 620, 630, 720, 730	814561	W-14-R	
JD	1010, 2010	Not Available		
JD	<3> 850, 950, 1050, 1250, 1450, 1650	814571	W-48-R	
JD	<3> 750, 755, 770, 855, 870	814571	W-48-R	
JD	<3> 955, 970	814571	W-48-R	
JD	<3> 790			1 x 3 w/90°
JD	<3> 990	None Req'd		
JD	<3> 3120, 3320, 3520	814571	W-48-R	<8>
JD	<3> 4100, 4200, 4300	814571	W-48-R	<8>
JD	<3> 4110, 4115, 4210, 4310	814571	W-48-R	<8>
JD	<3> 4410, 4510, 4610, 4710	814571	W-48-R	<8>
JD	<3> 4400, 4500, 4600, 4700	814571	W-48-R	<8>
JD	<3> 4120, 4320, 4520, 4720	814571	W-48-R	<8>
JD	820, 1020, 1520, 2020, 2120	814565	W-18-R	
JD	830, 1530, 2030, 2530, 2630	814565	W-18-R	
JD	2040, 2240, 2440, 2640, 2840, 2940	814565	W-18-R	
JD	2150, 2350, 2550, 2750, 2950	814565	W-18-R	
JD	2155, 2355, 2555, 2755, 2855, 2955	814565	W-18-R	
JD	2255, 3055, 3155, 3255, 3140	None Req'd		
JD	2510, 2520, 3010, 4000, 4010, 5010	None Req'd		
JD	3020, 4020, 4320, 4520, 4620, 5020	None Req'd		
JD	4030, 4230, 4430, 4630, 6030	None Req'd		
JD	4040, 4240, 4440, 4640, 4840	None Req'd		
JD	4050, 4250, 4450, 4650, 4850	None Req'd		
JD	4055, 4255, 4455, 4555, 4755, 4955	None Req'd		
JD	4560, 4760, 4960	None Req'd		
JD	5200, 5300, 5400	None Req'd		
JD	5103, 5105, 5203, 5303	None Req'd		
JD	5105, 5210, 5310	None Req'd		
JD	5320, 5320N, 5325, 5425, 5525	None Req'd		
JD	5400, 5410, 5500, 5510	None Req'd		

(JOHN DEERE LISTING CONTINUED ON NEXT PAGE)

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

JOHN DEERE (CONTINUED)

JD	6200, 6300, 6400, 6500L	None	Req'd	
JD	6110, 6120, 6210, 6320	None	Req'd	
JD	6300, 6310, 6400, 6405, 6410	None	Req'd	
JD	6215, 6415, 6420, 6615	None	Req'd	
JD	6403, 6603	None	Req'd	
JD	6500L, 6510L, 6605	None	Req'd	

JD	7200, 7210, 7400, 7405, 7410	None	Req'd	
JD	7510, 7600, 7610, 7700, 7710	None	Req'd	
JD	7220, 7320, 7420, 7520, 7820	None	Req'd	
JD	7800, 7810	None	Req'd	

JD	8100, 8110, 8200, 8210	None	Req'd	
JD	8230, 8330	None	Req'd	
JD	8300, 8310, 8400, 8410	None	Req'd	
JD	8120, 8220, 8320, 8420, 8520	None	Req'd	

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

KIOTI

Kioti	CK30	None	Req'd	
Kioti	DK35, DK40, DK45, DK455	None	Req'd	
Kioti	DK50, DK55, DK65, DK655	None	Req'd	

KUBOTA

Kubota	B2710, B2910	None	Req'd	
Kubota	L2250, L2350, L2500, L2550	<7>		1 x 3
Kubota	L2600, L2650, L2800, L2850	<7>		1 x 3
Kubota	L2900, L2950	<7>		1 x 3
Kubota	L3000, L3010, L3050, L3130	<7>		1 x 3
Kubota	L3250, L3300, L3350	<7>		1 x 3
Kubota	L3400, L3410, L3430, L3450	<7>		1 x 3
Kubota	L3600, L3650, L3710	<7>		1 x 3
Kubota	L3750, L3830	<7>		1 x 3
Kubota	L4150, L4200, L4300, L4310	<7>		1 x 3
Kubota	L4310F, L4330, L4350	<7>		1 x 3
Kubota	L4400, L4610, L4630, L4850	<7>		1 x 3
Kubota	L5030, L5450, MX5000	<7>		1 x 3
Kubota	M105, M110, M120, M125	<7>		1 x 3
Kubota	M4000, M4030, M4050, M4500	<7>		1 x 3
Kubota	M14700, M4800, M4900, M4950	<7>		1 x 3
Kubota	M5030, M5400, M5500	<7>		1 x 3
Kubota	M5700, M5950	<7>		1 x 3
Kubota	M6030, M6590, M6800, M6950	<7>		1 x 3
Kubota	M7030, M7030N, M7500, M7580	<7>		1 x 3
Kubota	M7590, M7950, M8030, M8200	<7>		1 x 3
Kubota	M8580, M8950, M9000	<7>		1 x 3
Kubota	M95, M9540, M9580	<7>		1 x 3

NOTE: Pipe nipple requires placing a small amount of hydraulic thread sealant on threads. The pipe nipple then should be tightened by hand until snug. Then turn 1/4 turn more to complete the tightening process. **Tightening the pipe nipple more than this amount could result in damaged threads.**

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

LANDINI

Landini	Atlantis 80HC, 100			1 x 3
Landini	5860, 6860, 6865	None	Req'd	<9>
Landini	8860, 8865, 9860	None	Req'd	<9>
Landini	Legend 125TDI, 160, 165TDI	None	Req'd	
Landini	Mistral 40, 45, 50	None	Req'd	
Landini	Power Farm 60, 75, 95	None	Req'd	<9>
Landini	Trekker 95	None	Req'd	<9>
Landini	Vision 95, 105	None	Req'd	

LEYLAND

Leyland	245, 255, 262, 270, 272, 282			1 1/4 x 3
Leyland	286, 344, 384, 462, 472, 482			1 1/4 x 3
Leyland	502, 602, 604, 702, 704, 802, 804			1 1/4 x 3

LONG (FarmTrac)

Long	445			1 1/4 x 3
Long	450, 460, 550, 560	814573	W-42-R	
Long	900, 910, 1110, 1310	Not Available		
Long	<4> 260, 310	814568	W-37-R	
Long	510, 610	814568	W-37-R	
Long	1310 4WD	814570	W-45-R	
Long	270DTC, 320DCT, 390	None Req'd		
Long	435, 535, 545, 555	None Req'd		
Long	665, 675			1 x 2 w/90°

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

MAHINDRA

Mahindra	2310, 2810			1 x 3
Mahindra	2615, 3015	None Req'd		<9>
Mahindra	3510, 4110	None Req'd		
Mahindra	E350DI, C35			1 x 3
Mahindra	3505, 3525, 4500			1 x 2 w/90°
Mahindra	4530, 5500, 6000			1 x 2 w/90°
Mahindra	6500, 6520, 7520			1 x 2 w/90°
Mahindra	7010	None Req'd		

McCORMICK

McCormick	GX40, 45, 50			1 x 4 w/90°
McCormick	C70	None Req'd		
McCormick	C80, C90, C100			1 x 3
McCormick	CX70, CX80, CX85	None Req'd		
McCormick	CX90, CX100, CX105	None Req'd		
McCormick	MC90, MC95	None Req'd		
McCormick	MC100, MC115	None Req'd		
McCormick	MTX110, MTX120, MTX125	None Req'd		
McCormick	MTX135, MTX140	None Req'd		
McCormick	MTX155, MTX175	None Req'd		

MINNEAPOLIS-MOLINE

MM	U302, 670, G-1000			<1>
MM	G-1000, Vista (1969 & Prior)			<1>
MM	750, 850	None Req'd		
MM	900, 950, 1050, 1350	Not Available		

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
MASSEY FERGUSON				
MF	50, 60, 65, 85, 90	814564	W-16-R	
MF	130, 135, 150, 165, 175, 180, 1080	814564	W-16-R	
MF	154-4, 184-4, 253, 254, 274, 294	814564	W-16-R	
MF	230, 231, 235, 240, 243, 245, 250, 251	814564	W-16-R	
MF	255, 265, 270, 275, 285, 290, 298	814564	W-16-R	
MF	253, 261, 263, 271, 281, 283	814564	W-16-R	
MF	1235	<7>		1 x 3
MF	1250, 1260	<7>		1 x 3
MF	261, 396	814575	W-25-R	
MF	360, 362, 3645, 3745, 375, 383		None Req'd	
MF	390T, 394S, 398, 399		None Req'd	
MF	431, 451, 461, 471, 481, 491	814564	W-16-R	
MF	670, 690, 698, 699		None Req'd	
MF	1100, 1130, 1085		None Req'd	
MF	1105, 1135, 1150, 1155, 2640, 2675		None Req'd	
MF	1160, 1180, 1190		None Req'd	
MF	1428, 1429, 1433, 1440, 1455	<7>		1 x 3
MF	1523, 1528			1 x 3
MF	1531, 1533, 1540, 1547, 1552		None Req'd	
MF	2705, 2745, 2770, 2775, 2800, 2805		None Req'd	
MF	3435GE, 3455GE, 3120T		None Req'd	
MF	3505, 3525, 3545		None Req'd	
MF	3050, 3060, 3630, 3650, 3660, 3670, 3680, 3690		None Req'd	
MF	3070, 3075, 3090, 3120, 3140	814564	W-16-R	
MF	4233, 4243, 4253, 4263	814573	W-42-R	
MF	4235, 4245, 4255, 4270	814573	W-42-R	
MF	4325, 4335, 4345, 4355, 4360	<7>		1 x 3
MF	6150, 6170, 6180	814564	W-16-R	
MF	6280, 6290	<7>		1 x 3
MF	6465, 6475, 6480, 6485, 6490, 6495		None Req'd	
MF	7465, 7475, 7480, 7485, 7490, 7495		None Req'd	
MF	8120, 8140, 8150, 8160, 8170, 8180		None Req'd	
MF	8250, 8260, 8280, 8480		None Req'd	

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

MONTANA

Montana	2740, 3840, 3940HST	None	Req'd	
Montana	4340, 4540, 4940	None	Req'd	
Montana	5720, 5740C	None	Req'd	

NEW HOLLAND

NH	TC25, TC25D, TC29, TC29A, TC29D	814860		
NH	TC30, TC33, TC33D, TC35, TC35D	814860		
NH	TC40A, TC40D, TC45, TC45A, TC48A	814860		
NH	TC55D, TC55DA, TC55S	814860		
NH	1530, 1630, 1725, 1925	814860		
NH	4835, 5635, 6635, 7635		None Req'd	
NH	5610, 6610, 7610		None Req'd	
NH	8010, 8160, 8870, 8970		None Req'd	
NH	8210, 8260, 8340, 8360, 8530		None Req'd	
NH	TN55D, TN55S		None Req'd	
NH	TN60A, TN65D, TN65F, TN65S		None Req'd	
NH	TN75A, TN75D, TN75F, TN75S		None Req'd	
NH	TL70, TL80, TL90		None Req'd	
NH	TL90A, TL100, TL100A		None Req'd	
NH	TN90F, TS90, TS100, TS110		None Req'd	
NH	TN75SA, TN85DA		None Req'd	
NH	TN95A, TN95FA		None Req'd	
NH	TL190		None Req'd	
NH	TB100, TS115A, TB110		None Req'd	
NH	TM115, TM125		None Req'd	
NH	TM135, TM140		None Req'd	
NH	TV140		None Req'd	

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

OLIVER

Oliver	Super 66, 77, 88 SER., 660	None	Req'd	
Oliver	1550, 1555, 1600, 1650, 1655	None	Req'd	
Oliver	1750, 1755, 1800, 1850, 1855	None	Req'd	
Oliver	1365, 1465	814568	W-37-R	
Oliver	1900, 1950, 1955, 2255	None	Req'd	

SAME

Same	D-120, B-130, H-160			1 x 3
Same	L-85, M-85, P-90, J-95, P-95			1 x 3
Same	M-60, T-60, C-70, C-75, S-80			1 x 3
Same	T-100, T-105			1 x 3
Same	Silver 100.6	None	Req'd	
Same	Argon 50, 55, 60, 70			1 x 2 w/90°
Same	Silver 130			1 x 2 w/90°
Same	Solaris 25, 45, 55			1 x 2 w/90°
Same	Explorer-II 90	814570	W-45-R	

SATOH-MITSUBISHI

Satoh/Mit	<4> Stallion	814561	W-14-R	
Satoh/Mit	<4> MT180H, MT210, MT250	814567	W-29-R	
Satoh/Mit	<4> Bison		Not Available	

TAFE

Tafe	2800CE, 3600CE	None	Req'd	
Tafe	3840, 4010DE, 5000DE	814564	W-16-R	
Tafe	5040, 5540DE	814564	W-16-R	

TYM

TYM	T290, T300, T390	None	Req'd	
TYM	T330, T330HST	None	Req'd	
TYM	T400, T430, T450, T451	None	Req'd	
TYM	T580, T700	None	Req'd	

Post Driver Return Fittings for Tractors

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
-----------------	----------------	-------------	------------------------	--------------------------

URSUS

Ursus	2812, 3514, 3822, 4822	814564	W-16-R	
-------	------------------------	--------	--------	--

VALMET (Valtra)

Valtra	600, 700, 800, 900	None Req'd		
Valtra	BL88	None Req'd		
Valtra	6200, 6300, 6400			1 x 3 w/90°
Valtra	6850, 8350, 8550, 8950			1 x 3 w/90°
Valtra	A75, A85, A95	None Req'd		

VERSATILE

Versatile	160, 256, 276			1 x 3
-----------	---------------	--	--	-------

WHITE

White	2-45, 2-62	None Req'd		
White	2-50, 2-60	814568	W-37-R	
White	2-55, 2-65, 2-70, 2-75, 2-85, 2-88	None Req'd		
White	125, 145	None Req'd		
White	2-105, 2-110, 2-135	None Req'd		
White	2-150, 2-155, 2-180	None Req'd		
White	80, 100, 120, 140, 160, 170, 185, 195	None Req'd		
White	6065, 6085, 6090HC			1 x 3
White	6105, 6045, 6810, 8410			1 x 3
White	6124, 6144	None Req'd		
White	6125, 6145, 6175, 6195, 6215	None Req'd		
White	6140, 6510	814573	W-16-R	
White	8510	None Req'd		

YANMAR

Yanmar	<4> YM 240, YM 330, YM 336	814571	W-48-R	
--------	----------------------------	--------	--------	--

SPECIAL NOTES

- <1> This tractor not recommended for using a driver due to the small oil return port on the tractor.
- <2> Some early model tractors did not have remote hydraulics. Check with your tractor dealer for tractor pressure port location.
- <3> Must have selector control valve.
- <4> Must have outside hydraulic pressure port.
- <5> Pipe nipples required should be black pipe (ungalvanized) and can be purchased locally at a farm or hardware store. A 45° or 90° elbow may be required.
- <6> Tractors with small oil return ports require extra care when using the post driver. Some oil may be forced out the fill opening until the oil warms up. Some of these tractors use the fill port as the hydraulic sump vent and escaping air will cause a small amount of oil to be forced out the fill opening. Plumbing the return line without a vent can cause oil seals in the tractor to be damaged.
- <7> Pipe nipple requires placing a small amount of hydraulic thread sealant on the threads. The pipe nipple then should be tightened by hand until snug. Then turn 1/4 turn more to complete the tightening process. Tightening the pipe nipple more than this amount could result in damaged threads.
- <8> Need to remove the bracket that holds the toplink up (2 bolts).
- <9> Return port on tractor is located in front of seat. The return hose may need to be longer. Part #2504143 (4 ft. hose extension).
- <10> Not available at this time.

WORKSAVER, INC.

P.O. BOX 100 LITCHFIELD, IL 62056-0100 (217) 324-5973 FAX (217) 324-3356
WEB: <http://www.worksaver.com> E-MAIL: sales@worksaver.com