

NEWS



WORKSAVER, Inc.
9 WorkSaver Trail
P.O. Box 100
Litchfield, Illinois 62056
(217) 324-5973 Fax (217) 324-3356

Web: <http://www.worksaver.com>
E-Mail: sales@worksaver.com

Date: March 31, 2016

Contact: Sales Dept.

ETG-26 John Deere and Euro/Global Mounts

WorkSaver announces two additions to its ETG-26 line-up. Models are now offered that incorporate the John Deere 400/500 hook-up (ETG-26-JD) and the Euro/Global hook-up (ETG-26G). These models offer owners of John Deere 400/500 series loaders and loaders with the Euro/Global hook-up the performance and value of the ETG-26.

The dual upper grapples of 3/8" steel are 16.5" wide to help retain brush and other loose material. Grapples work independent of each other allowing them to easily clamp uneven size loads.

Through the tube hose routing in addition to abrasion-resistant fabric sleeves provides hose protection; shields mounted over the cylinders protect them from debris.

The 72" wide rake has end plates made from 3/8" steel with inner tines of 1/4" steel. One piece front tooth bar is mounted across the front for added strength.





John Deere Mount (811075)

Designed to interface with John Deere 400/500 loaders that utilize the John Deere hook & pin quick attach. Making it easy to change from bucket to grapple when clean-up needs arise. Unit is shipped with nylon abrasion-resistant fabric sleeved hoses less couplers, with a useable length of 72”.



Euro/Global Mount (811095)

Unit incorporates the Euro/Global style hook standard to easily hook-up to the Euro/Global quick-attach tool carrier. Saving time when changing from bucket to grapple, allowing the operator to get more done. Unit is shipped with nylon abrasion-resistant fabric sleeved hoses less couplers, with a useable length of 72”.

ETG-26-JD & ETG-26G – Features

- Dual upper grapples for additional clamping of uneven loads.
- Greaseable pivot points for long service life.
- Hoses are in a nylon abrasion-resistant fabric sleeve and routed through the mainframe tube to provide hose protection.
- Simple efficient design with few moving parts for greater reliability.
- Low profile design offers greater forward visibility.
- Both models are shipped with hoses, less couplers, with useable length of 72". If longer hoses are required, the dealer can match the hose length needed to the tractor / loader.

Units are in Stock

Model	Item #	Description	Weight
ETG-26-JD	811075	Low Profile Grapple with dual upper grapples. Unit is 72" wide with John Deere 400/500 style hook-up. Includes hoses less couplers , useable length of 72"	530 lbs.
ETG-26G	811095	Low Profile Grapple with dual upper grapples. Unit is 72" wide with Euro/Global mount. Includes hose less couplers , useable length of 72"	540 lbs.

Recommended for tractors from 30- 80 hp.