

NEWS



WORKSAVER, Inc.
9 WorkSaver Trail
P.O. Box 100
Litchfield, Illinois 62056
(217) 324-5973 Fax (217) 324-3356

Web: <http://www.worksaver.com>
E-Mail: sales@worksaver.com

Date: July 25, 2016

Contact: Sales Dept.

Clamp-on Bucket Mount 36-Series Snow Pushers

Designed to quickly connect to a wide choice of loader buckets, WorkSaver's Clamp-on 36-Series snow pusher is the simple solution to moving snow with a tractor loader. These pushers attach in a matter of minutes as they slide over and under the buckets cutting edge and are secured in place with two chains and turnbuckle assemblies.

Available in widths of 8' or 10' these snow pushers are offered with a 1.5" x 8" reversible Ultra- Rubber cutting edge.

CNC formed 7-gauge moldboard with two (2) 4-inch industrial C channels across the width of the backside for strength and durability makes these Snow Pushers great performers. 36" x 36" end plates of 5/16" material helps retain snow as it is pushed forward without leaving a windrow. Pushers are robotically welded for consistent quality and strength. Four-inch wide adjustable / reversible skid shoes of AR-400 steel are standard equipment on both size units. The rubber edge allows them to be used on asphalt as well as multiple surface types like decorative driveways, cobblestone or pavers.



Shown with optional Pull-Back Kit



Bucket Mount

The bucket mount is made with 3"x 3" x 1/4" tubing. The lower tube extends 16" under the bucket to provide support. The upper tube extends 12" into the bucket.



Bucket Mount

The distance between the bucket supports is 3". This takes into account the bucket cutting edge variance, making installation to a wide choice of buckets fast and easy.



Rubber Cutting Edge

These Snow Pushers are equipped with Ultra-Rubber 1.5" x 8" adjustable and reversible cutting edge for use in clearing multiple surface types.



Skid Shoes

Four-inch wide adjustable / reversible Skid Shoes are made with Abrasion Resistant AR-400 steel providing long service life.

Model	Item #	Description	Weight	
Clamp-on Bucket Mount 36-Series Snow Pushers.				
SPC-3696R	358140	8-ft Pusher with Rubber edge	845	
SPC-36120R	358150	10-ft Pusher with Rubber edge	935	

Order Now for Delivery in September 2016

Clamp-on Bucket Mount Snow Pushers

- CNC formed 7-gauge moldboard for added strength
- Two (2) 4-inch industrial C channel provides solid support
- Pusher side plates are 36" high (without skid shoe) and 36" deep
- Side support brace tubes are standard on all models
- Ultra-Rubber cutting edge is standard
- Ultra-Rubber edge is 1.5" x 8" and is reversible for long service life
- Ultra-Rubber edge is slotted providing 3-inches of adjustment
- Ultra-Rubber edge of SBR (Styrene Butadiene Rubber) with a durometer of 65 and a 2500# tensile strength provides high performance and durability
- Adjustable Skid Shoes made from AR-400 Steel are 4-inches in width and reversible
- Units are painted Industrial Yellow with 2-component urethane paint
- Pushers simply slide over the bucket's cutting edge and are retained by a chain and turnbuckle assembly.