

NEWS



WORKSAVER, Inc.
9 Worksaver Trail
P.O. Box 100
Litchfield, Illinois 62056
(217) 324-5973 Fax (217) 324-3356

Web: <http://www.worksaver.com>
E-Mail: sales@worksaver.com

Date: November 20, 2015

Contact: Sales Dept.

CTMG-48S – Sub-Compact Tractor Mini Grapple

Allows Sub-Compact tractors equipped with a loader to handling debris and so much more – the CTMG-48S from Worksaver is changing the way large properties owners are cleaning up. This 48-inch wide grapple with Skid Steer hook up offers the operator the ability to own a job matched tool to collect debris, brush or orchard pruning's, resulting in time savings and low cost of ownership.

The single upper grapple of 3/8" material is 31" wide with gripping notches cut into the tines to help retain brush and other loose material.

Grapple is open and closed with a 2"x8" hydraulic cylinder. Depending on the tractor the dealer may have to install an additional hydraulic circuit or diverter valve to operator this cylinder. Hydraulic hoses are not included with the unit.

The lower 48" wide rake has tines made from 1/2 " material also featuring gripping notches to help retain loose materials. Schedule 40 pipe runs through the lower tines and gussets are placed at each contact point for added strength.





Universal Skid Steer Mount

Designed to interface with loaders on Sub-Compact tractors that utilize the “universal” skid steer quick attach. Making it easy to change from bucket to grapple



Opening

Do not let its small size fool you the upper grapple opens 33” to handle limbs, brush, orchard pruning’s and other hard to handle materials

Tough, Reliable, Rugged



Rock-Solid Quality

Weighting only 320 lbs. it leaves plenty of loader lift capacity for the operator to fill the grapple reducing the time spent on property maintenance. Computer aided design assure that strength is built in.

CTMG-48S – Features

- Greaseable pivot points for long service life
- Simple efficient design with few moving parts for increased reliability
- Gripping notches CNC cut into tines helps to secure loose material
- Durability Schedule 40 pipe provides strength to the lower tines
- 33-inch grapple opening provides for maximum capacity
- Shipped less hoses, allowing the dealer to perfectly match the hose length to the tractor / loader

Model	Item #	Description	Weight	List
CTMG-48S	811850	48” Grapple for Sub-Compact tractors that use the Skid Steer quick attach system for mounting their buckets. 31” upper grapple, 2x8 cylinder. Unit is shipped less hoses.	320 lbs.	\$1,450.00