

NEWS



WORKSAVER, Inc.
9 Work saver Trail
P.O. Box 100
Litchfield, Illinois 62056
(217) 324-5973 Fax (217) 324-3356

Web: <http://www.worksaver.com>
E-Mail: sales@worksaver.com

Date: May 20, 2015

Contact: Sales Dept.

Snow Pushers for Compact & Sub-Compact Tractors

Engineered to fit Compact and Sub-Compact tractors, the 24-Series Snow Pushers are job matched to the tractor for maximum performance. Models are available with the “universal” skid steer attach method, which is used on most compact loaders today.

Models are also offered for the 200/300/400 series John Deere loaders.

Available in widths of 5', 6' or 7' these snow pushers are offered with either a 1" x 6" reversible premium rubber cutting edge, or 3/8" x 6" reversible alloy steel cutting edge allowing the unit to be matched to the job.

CNC formed 10-gauge moldboard with 6-inch industrial C channel bracing on the backside for strength and durability make these Snow Pushers high performers. Pushers are robotically welded for consistent quality and strength. Adjustable skid shoes are standard equipment on all size units. Rubber edge units can be used on multiple surface types like decorative driveways, cobblestone or pavers while steel edge units are ideal when removing hard packed snow or ice from the surface.





Skid Steer Type Mount

Ideal for Compact or Sub-Compact tractors with loaders up to 40 HP with a maximum operating weight of 3,500 lbs. that utilize the “universal” skid steer attach method.



“R” Models

“R” models are equipped with premium 1” x 6” adjustable and reversible cutting edge for use in clearing multiple surface types.



Skid Shoes

Adjustable Skid Shoes are made with Abrasion Resistant steel providing reliable performance and consistent wear during their service life.



End-Plates

End-Plates are 24-inches in height made from 1/4" material. A convent tie down location is provided to assist securing the unit during transport.

Model	Item #	Description	Weight	List
24-Series for use with loaders that use the “universal” skid steering attaching system				
SPS-2460R	358000	5-ft Pusher with Rubber edge	360	\$1,180.00
SPS-2460M	358005	5-ft Pusher with Metal edge	380	1,150.00
SPS-2472R	358010	6-ft Pusher with Rubber edge	400	1,270.00
SPS-2472M	358015	6-ft Pusher with Metal edge	420	1,235.00
SPS-2484R	358020	7-ft Pusher with Rubber edge	435	1,380.00
SPS-2484M	358025	7-ft Pusher with Metal edge	455	1,340.00
24-Series for JD 200/300/400 series loader attaching system				
SPJD-2460R	358030	5-ft Pusher with Rubber edge	349	\$1,180.00
SPJD-2460M	358035	5-ft Pusher with Metal edge	369	1,150.00
SPJD-2472R	358040	6-ft Pusher with Rubber edge	385	1,270.00
SPJD-2472M	358045	6-ft Pusher with Metal edge	405	1,235.00
SPJD-2484R	358050	7-ft Pusher with Rubber edge	420	1,380.00
SPJD-2484M	358055	7-ft Pusher with Metal edge	440	1,340.00

Snow Pushers for Compact Tractor Features

- CNC formed 10-gauge moldboard for added strength
- 6-inch industrial C channel provides solid support
- Pusher side plates are 24” high (without skid shoe) and 24” deep
- Side support brace tubes are standard on all models
- Choice of Premium Rubber or Alloy Steel cutting edge
- Premium rubber edge is 1” x 6” and is reversible for long service life
- Premium rubber edge is slotted providing 2-inches of adjustment
- Premium Rubber edge of SBR (Styrene Butadiene Rubber) rubber with a durometer of 65 and a 2000# tensile strength provides high performance durability
- Replaceable alloy steel edge is 3/8” x 6” and is reversible for maximum performance
- Adjustable Skid Shoe made from Abrasion Resistant Steel
- Inside bracing of box provides strength to the unit
- “Universal” skid steer mount for easy attaching to compact tractor loaders
- John Deere 200/300/400 loader attaching system pushers are available
- All units are designed for tractors up to 40 hp.