

# NEWS



WORKSAVER, Inc.  
9 WorkSaver Trail  
P.O. Box 100  
Litchfield, Illinois 62056  
(217) 324-5973 Fax (217) 324-3356

Web: <http://www.worksaver.com>  
E-Mail: [sales@worksaver.com](mailto:sales@worksaver.com)

---

Date: March 16, 2018

Contact: Sales Dept.

## **Additional Models -Pallet Forks for Sub-Compact Loaders**

**RIGHT TOOL! RIGHT SIZE! NEW MODELS!** WorkSaver's sub-compact pallet forks rated at 1,250 lbs. when introduced were offered with 36" long forks. Customers have requested models with 42" long forks and we have listened.

There are two new models available to meet your customers' needs, each with 42" long forks. Model SSPF-1242 which features the "universal" skid steer attaching system and the JDPF-1242 with the John Deere hook & pin quick attach mount. Rated capacity is 1,250 lbs.

Both models use Class I forks that are 1.18" x 3" x 42".





## SSPF-1242

Designed for sub-compact tractors with loaders that use the "universal" skid steer attaching system. Frame measures 45.125" wide x 21.5" in height. Class I forks with 42" length mount to 3/8" upper rail with 6-positioning notches, allowing the operator to find the fork spacing required for the job they are doing. Rated capacity is 1,250 lbs. .



## JDPF-1242

Engineered for use on John Deere 200, 200CX, H120, H130, D160, D165 loaders that have the JD hook and pin quick attach mount. Frame measures 45.125" wide x 21.5" in height. Class I forks with a length of 42" can be moved along the 3/8" top rail that features 6-notches for positioning the forks. Rated capacity is 1,250 lbs.

## Pallet Forks for Sub-Compact Tractors with Loaders

### Models now available with 42-inch long forks

Model	Item #	Description	Weight	
<b>SSPF-1242</b>	833350	Pallet forks for Sub-Compact tractors with loaders that have the “universal” skid steer attaching system. Class I forks are 1.18” x 3” x 42” rated at 1,250 lbs.	245	
<b>JDPF-1242</b>	833340	Pallet fork for John Deere 200, 200CX, H120, H130, D160, D165 loaders that have the JD hook & pin quick attach mount. Class I forks are 1.18” x 3” x 42” rated at 1,250 lbs.	237	

Rated lift capacity is based on a pair of forks with no more the 1/2 load per fork and no more than halfway out on each fork.

**⚠ Be sure tractor is properly counterbalanced. Damage to equipment or personal injury could occur.**